








Hembras de doblez a 90°



Machos 90°




M-90-1/4

M-90-3/8


M-90-1/2

Hembras de doblez a 30°


H-30-22




H-30-18




H-30-16




H-30-14




H-30-12




H-30-11



H-30-10




H-30-3/16




Machos 30°


M-30-16




M-30-14




M-30-12



M-30-10




M-30-3/16




Cuellos de Ganso


CG-22




CG-20




CG-18




CG-14




CG-15




CG-10




CG-16




CG-12




CG-10P





CG-9



CG-6




Bayonetas




Planchador Plano




P-28



P-48






P-60



Planchador De Nariz

Múltiples



DACUMOSA

Tel: 81420300

Abertura del dado Hembra		ESPESOR DE LA LAMINA																					
		Cal. 26	Cal. 24	Cal. 22	Cal. 20	Cal. 18	Cal. 16	Cal. 14	Cal. 13	Cal. 12	Cal. 11	Cal. 10	Cal. 9	Cal. 7	Cal. 1/4"	Cal. 5/16"	Cal. 3/8"	Cal. 7/16"	Cal. 1/2"	Cal. 5/8"	Cal. 3/4"	Cal. 7/8"	Cal. 1"
		.018"	.024"	.030"	.036"	.045"	.060"	.075"	.090"	.105"	.120"	.135"	.149"	.187"	.250"	.313"	.375"	.437"	.500"	.625"	.750"	.875"	.1000"
Pulg.	M.M.	.45	.60	.76	.91	1.21	1.52	1.90	2.28	2.66	3.04	3.42	3.78	4.74	6.35	7.94	9.53	11.11	12.70	15.88	19.05	20.23	25.40
1/8"	3.18	4.0	6.9	11.9																CON ESTE CALIBRE SE USA 10 VECES EL ESPESOR DE LA LAMINA			
3/16"	4.76	2.7	4.8	8.3	13.5																		
1/4"	6.35	1.7	3.6	5.9	9.5	16.8																	
5/16"	7.94		2.3	4.6	7.3	13.2	23.1																
3/8"	9.53			3.3	5.6	9.6	17.5	29															
1/2"	12.70				3.7	7.3	11.9	18.8	33.0														
5/8"	15.88					5.3	8.9	14.9	22.4	34.6													
3/4"	19.05					4.3	7.3	11.2	17.8	24.4	33.3												
7/8"	22.23						5.6	10.9	14.1	19.8	27.0	34.9											
1"	25.4						4.6	8.3	12.2	17.8	23.8	31.7	40.2										
1 1/8"	28.58							6.9	10.9	14.5	20.5	27.7	36.3	54.1									
1 1/4"	31.76							5.6	9.6	13.2	17.8	23.1	29.7	46.2	95.0								
1 1/2"	38.10									10.8	14.1	18.5	22.1	37.0	73.0	125.4							
2"	50.80										10.6	13.5	17.2	25.1	50.5	85.5	135.3						
2 1/2"	63.50											7.9	11.6	19.1	37.9	61.9	98.7	149.2					
3"	76.20												7.3	14.9	30.0	52.8	79.2	115.5	157.1				
3 1/2"	88.90														24.8	41.3	64.0	92.4	128.7	229.3			
4"	101.60														20.5	35.0	57.0	79.2	109.2	191.4	303.6		
5"	127.00															25.1	40.6	56.1	79.2	139.3	227.7	343.2	
6"	152.40																30.7	48.2	53.0	106.9	172.3	264.0	370.3
7"	177.80																	36.6	51.5	85.8	139.3	208.0	297.7
8"	202.20																		41.9	76.0	108.8	173.3	280.8
10"	228.60																			54.5	89.1	130.0	185.5
11"	254.00																				69.3	103.6	145.2

TONELADAS REQUERIDAS POR METRO LINEAL EN DOBLEZ AL AIRE